JOURNAL OF ALLOYS AND COMPOUNDS VOLUME 192, NUMBERS 1–2, FEBRUARY 23, 1993

Contents

Preface v

Plenary Lectures

Systematics and anomalies 1
K. A. Gschneidner, Jr. (Ames, IA, USA)

Exchange interactions in rare earth compounds 11
T. Kasuya (Sendai, Japan)

Symposium L: Rare Earth Luminescent Materials in the Nineties

Luminescence of rare earth ions at the end of the century 17
G. Blasse (Utrecht, Netherlands)

Effect of surface treatment on stability of cerium-activated lanthanide oxide bromide phosphors
I. Hydrolysis of GdOBr:Ce phosphor in aqueous solution 22
Y. Minagawa (Yokohama, Japan)

The yellow-to-blue intensity ratio (*Y/B*) of Dy^{3+} emission 25
Q. Su, Z. Pei, L. Chi, H. Zhang, Z. Zhang and F. Zou (Changchun, China)

Photoluminescence properties and crystal structure of $K_3Na_4H_2TbW_{10}O_{36}\cdot 20H_2O$ 28
T. Ozeki and T. Yamase (Yokohama, Japan)

Organic electroluminescent devices using lanthanide complexes 30
J. Kido, K. Nagai (Yamagata, Japan) and Y. Okamoto (Brooklyn, NY, USA)

Luminescence enhancement of Eu(III) or Tb(III) complexes with organic ligands by Ln(III) (Ln = Y, La, Gd, Lu) 34
W. Li, W. Li, G. Yu, Q. Wang and R. Jin (Changchun, China)

Fluorescence properties of Ln^{3+}–Cu^{+}–β-alumina (Ln = rare earth) 37
S. Okamoto, K. Kato and T. Arakawa (Fukuoka, Japan)

Charge compensation and luminous centres in CaF_2:Ce^{3+} 40
C. Shi and E. Lu (Changchun, China)

Effect of copper(II) and nickel(II) complexes of *N,N'*-di(salicylidene)-1,3-propanediamine on fluorescence of terbium(III) 42
M. Sakamoto, K. Yamamoto, M. Ōsaki, A. Matsumoto (Matsuyama, Japan) and H. Ōkawa (Fukuoka, Japan)

Luminescence properties of Pr^{3+} in monoclinic gadolinium sesquioxide 45
M. Arai, N. Matsuda and M. Tamatani (Kawasaki, Japan)

Charge compensation and valency stability of Eu(II)-doped $KMgF_3$ crystal 48
C. Shi, Z. Ye, J. Yao, Z. Cao and J. Sun (Changchun, China)

Synthesis and fluorescence properties of $(Y_{1-x}R_x)_2Te_4O_{11}$ (R = rare earths) 50
T. Endo, A. Shibuya, H. Takizawa and M. Shimada (Miyagi, Japan)

Effect of pressure on the $^7F_1$ multiplet and phonon sidebands of Sm^{2+} in BaFCl 53
Y. R. Shen and W. B. Holzapfel (Paderborn, Germany)

Optimizing β-Y_2SiO_5:Tb for projection television applications 55
C. R. Ronda, U. H. Kynast (Aachen, Germany), W. P. M. Dingen and H. A. M. van Hal (Eindhoven, Netherlands)

Symposium E: The Eyring Symposium

The binary higher oxides of the rare earths 57
J. Zhang, Z. C. Kang and L. Eyring (Tempe, AZ, USA)

Rare earth valence in RO_x (R = Ce, Pr, Tb; $1.5 \leqslant x \leqslant 2$) studied by X-ray absorption spectroscopy 64
R. C. Karnatak (Orsay, France)

Elsevier Sequoia

JOURNAL OF ALLOYS AND COMPOUNDS VOLUME 192, NUMBERS 1–2, FEBRUARY 23, 1993

Contents

Preface v

Plenary Lectures

Systematics and anomalies 1
K. A. Gschneidner, Jr. (Ames, IA, USA)

Exchange interactions in rare earth compounds 11
T. Kasuya (Sendai, Japan)

Symposium L: Rare Earth Luminescent Materials in the Nineties

Luminescence of rare earth ions at the end of the century 17
G. Blasse (Utrecht, Netherlands)

Effect of surface treatment on stability of cerium-activated lanthanide oxide bromide phosphors
I. Hydrolysis of GdOBr:Ce phosphor in aqueous solution 22
Y. Minagawa (Yokohama, Japan)

The yellow-to-blue intensity ratio (*Y/B*) of Dy^{3+} emission 25
Q. Su, Z. Pei, L. Chi, H. Zhang, Z. Zhang and F. Zou (Changchun, China)

Photoluminescence properties and crystal structure of $K_3Na_4H_2TbW_{10}O_{36}\cdot 20H_2O$ 28
T. Ozeki and T. Yamase (Yokohama, Japan)

Organic electroluminescent devices using lanthanide complexes 30
J. Kido, K. Nagai (Yamagata, Japan) and Y. Okamoto (Brooklyn, NY, USA)

Luminescence enhancement of Eu(III) or Tb(III) complexes with organic ligands by Ln(III) (Ln = Y, La, Gd, Lu) 34
W. Li, W. Li, G. Yu, Q. Wang and R. Jin (Changchun, China)

Fluorescence properties of Ln^{3+}–Cu^{+}–β-alumina (Ln = rare earth) 37
S. Okamoto, K. Kato and T. Arakawa (Fukuoka, Japan)

Charge compensation and luminous centres in CaF_2:Ce^{3+} 40
C. Shi and E. Lu (Changchun, China)

Effect of copper(II) and nickel(II) complexes of *N,N'*-di(salicylidene)-1,3-propanediamine on fluorescence of terbium(III) 42
M. Sakamoto, K. Yamamoto, M. Ōsaki, A. Matsumoto (Matsuyama, Japan) and H. Ōkawa (Fukuoka, Japan)

Luminescence properties of Pr^{3+} in monoclinic gadolinium sesquioxide 45
M. Arai, N. Matsuda and M. Tamatani (Kawasaki, Japan)

Charge compensation and valency stability of Eu(II)-doped $KMgF_3$ crystal 48
C. Shi, Z. Ye, J. Yao, Z. Cao and J. Sun (Changchun, China)

Synthesis and fluorescence properties of $(Y_{1-x}R_x)_2Te_4O_{11}$ (R = rare earths) 50
T. Endo, A. Shibuya, H. Takizawa and M. Shimada (Miyagi, Japan)

Effect of pressure on the $^7F_1$ multiplet and phonon sidebands of Sm^{2+} in BaFCl 53
Y. R. Shen and W. B. Holzapfel (Paderborn, Germany)

Optimizing β-Y_2SiO_5:Tb for projection television applications 55
C. R. Ronda, U. H. Kynast (Aachen, Germany), W. P. M. Dingen and H. A. M. van Hal (Eindhoven, Netherlands)

Symposium E: The Eyring Symposium

The binary higher oxides of the rare earths 57
J. Zhang, Z. C. Kang and L. Eyring (Tempe, AZ, USA)

Rare earth valence in RO_x (R = Ce, Pr, Tb; $1.5 \leqslant x \leqslant 2$) studied by X-ray absorption spectroscopy 64
R. C. Karnatak (Orsay, France)

Elsevier Sequoia

Application of an ion-packing model based on defect clusters for lattice parameters and local structures of stabilized zirconia 69
M. Yashima, N. Ishizawa and M. Yoshimura (Yokohama, Japan)

Electrical properties of defect-fluorite phase in the system R_2O_3–Ta_2O_5 (R = Gd, Y, Er and Yb) 72
S. Kim, M. Yashima, M. Kakihana and M. Yoshimura (Kanagawa, Japan)

Mössbauer study of $RFeMnO_4$ 75
M. Tanaka, J. Iida (Tokyo, Japan) and K. Siratori (Osaka, Japan)

Investigations on lanthanide-ion-exchanged β and β''-alumina 78
F. Tietz and W. Urland (Hannover, Germany)

Structure and ionic conductivity of $MLaNb_2O_7$ (M = K, Na, Li, H) 81
M. Sato, J. Abo, T. Jin and M. Ohta (Niigata, Japan)

Growth of rare earth aluminate crystals from molten solutions 84
T. Shishido (Sendai, Japan), M. Tanaka, H. Horiuchi (Tokyo, Japan), H. Iwasaki, N. Toyota, D. Shindo and T. Fukuda (Sendai, Japan)

Structure studies of $CeAlO_3$ 87
M. Tanaka (Tokyo, Japan), T. Shishido (Sendai, Japan), H. Horiuchi (Tokyo, Japan), N. Toyota, D. Shindo and T. Fukuda (Sendai, Japan)

Phase transitions: $Pr_7O_{12} \rightarrow \sigma$-$PrO_x \rightarrow$ A-Pr_2O_3 of Pr oxide thin film and the phase boundaries 90
S. Yao (Osaka, Japan), K. Iwata (Nagoya, Japan), H. Kanematsu (Suzuka, Japan) and Z. Kozuka (Osaka, Japan)

Thermal diffusivity of $LaMnO_{3+x}$ 93
M. Kobayashi, H. Satoh, N. Kamegashira (Toyohashi, Japan) and K. Inoue (Osaka, Japan)

Phase transition of $Ca_{2-x}Sm_xMnO_4$ ($x < 0.5$) 96
J. Takahashi, T. Kikuchi, H. Satoh and N. Kamegashira (Toyohashi, Japan)

Measurement of the heat capacity of $BaEu_2Mn_2O_7$ 99
H. Satoh, M. Horikawa and N. Kamegashira (Toyohashi, Japan)

Mechanochemical changes in hydrated rare earth orthophosphate minerals by grinding 102
Y. Hikichi, C. F. Yu (Nagoya, Japan), M. Miyamoto (Tokyo, Japan) and S. Okada (Yokohama, Japan)

Phase equilibria in the system In_2O_3–M_2ZnO_4–ZnO at 1350 °C (M = Fe, Ga, Al) and crystal chemical consideration of $InMO_3(ZnO)_m$ phases with $LuFeO_3(ZnO)_m$-type structures 105
M. Nakamura, N. Kimizuka, T. Mohri and M. Isobe (Ibaraki-ken, Japan)

Paramagnetic properties of ferroelastic rare earth orthoniobates 108
S. Tsunekawa, H. Yamauchi, Y. Yamaguchi and T. Fukuda (Miyagi, Japan)

Symposium J: Problems of the Rare Earth Industries

Rare earth industry of China 111
C. Zhou (Beijing, China)

The rare earth industry: a world of rapid change 114
P. Falconnet (Courbevoie, France)

Rare earths industry of today in the Commonwealth of Independent States 118
V. D. Kosynkin, S. D. Moiseev (Moscow, Russian Federation), C. H. Peterson (Washington, DC, USA) and B. V. Nikipelov (Moscow, Russian Federation)

Symposium T: Separation Technology

Kinetic role of diethylenetriaminepentaacetic acid added to stripping phase in permeation of rare earth metal ions through a supported liquid membrane 121
M. Matsukata, T. Shimokoshi, C. Nakayama and T. Kojima (Tokyo, Japan)

Acceleration of permeation of Pr and Nd ions through a supported liquid membrane by the addition of complexing agents to the stripping phase 124
T. Kojima, T. Shimokoshi (Tokyo, Japan) and M. Matsukata (Osaka, Japan)

Selective extraction of praseodymium ions from neodymium solution using a non-equilibrium extraction method. . . . 126
Y. Minagawa (Yokohama, Japan)

Separation of scandium(III) and lanthanides(III) by polyaminopolycarboxylic acids using the capillary tube isotachophoretic method 129
Y. Masuda, Y. Okada, E. Sekido (Hyogo, Japan) and I. Murase (Kumamoto, Japan)

Separation factor of lanthanoids by solvent extraction of their ternary complexes 132
J. Noro (Kanagawa, Japan) and T. Sekine (Tokyo, Japan)

Solvent extraction of cerium(III) from aqueous thiocyanate solutions by neutral organophosphorus compounds. 135
T. Sato (Kingston, Ont., Canada) and K. Sato (Hamamatsu, Japan)

Extraction of lanthanide (III) from nitric acid solution by octyl(phenyl)-*N*,*N*-diisobutylcarbamoylmethylphosphine oxide. 138
T. Nakamura and C. Miyake (Osaka, Japan)

Symposium H: Hydrogen Storage Materials

Electrical resistivity changes due to dissolved hydrogen in palladium-rich palladium–rare earth alloys 141
Y. Sakamoto, F. L. Chen, M. Kinoshita and M. Minamikawa (Nagasaki, Japan)

Thermodynamic studies of hydrogen solution in Pd–Sc alloys 145
Y. Sakamoto, F. L. Chen (Nagasaki, Japan) and R.-A. McNicholl (Belfast, UK)

Electrochemical characterization of surface-modified negative electrodes consisting of hydrogen storage alloys 149
M. Matsuoka, K. Asai, K. Asai, Y. Fukumoto and C. Iwakura (Osaka, Japan)

Electrochemical characterization of hydrogen storage alloys modified with metal oxides 152
C. Iwakura, Y. Fukumoto, M. Matsuoka, T. Kohno and K. Shinmou (Osaka, Japan)

Rare-earth-based hydrogen storage alloys for rechargeable nickel–metal hydride batteries 155
T. Sakai, H. Miyamura, N. Kuriyama, H. Ishikawa and I. Uehara (Osaka, Japan)

Nickel–metal hydride battery for electric vehicles 158
T. Sakai, H. Miyamura, N. Kuriyama, I. Uehara (Osaka, Japan), M. Muta, A. Tagaki, U. Kajiyama, K. Kinoshita and F. Isogai (Aichi, Japan)

Characterization of metal hydride electrodes by means of electrochemical impedance spectroscopy. 161
N. Kuriyama, T. Sakai, H. Miyamura, I. Uehara and H. Ishikawa (Osaka, Japan)

Production of copper–alloy complex granules for nickel/metal hydride electrodes 164
M. Wada, H. Yoshinaga, O. Kajita (Kyoto, Japan), T. Sakai, M. Irikawa, H. Miyamura, N. Kuriyama and I. Uehara (Osaka-fu, Japan)

Hydrogen storage alloy powders produced by a reduction–diffusion process and their electrode properties. 167
K. Takeya, Y. Tsugita, Y. Okajima (Ehime, Japan), T. Sakai, H. Miyamura, N. Kuriyama, H. Ishikawa and I. Uehara (Osaka, Japan)

Development of hydrogen-absorbing rare earth–Ni alloys for a −20 °C refrigeration system 170
S. Fujitani, H. Nakamura, A. Furukawa, T. Yonesaki, K. Nasako, T. Saito and I. Yonezu (Osaka, Japan)

Effect of rare earth composition on the electrochemical properties of $Mm(Ni–Mn–Al–Co)_5$ alloys 173
K. Suzuki, N. Yanagihara, H. Kawano and A. Ohta (Osaka, Japan)

Hydrogen storage alloys rapidly solidified by the melt-spinning method and their characteristics as metal hydride electrodes 176
R. Mishima (Yokohama, Japan), H. Miyamura, T. Sakai, N. Kuriyama, H. Ishikawa and I. Uehara (Osaka, Japan)

Development of hydrogen-absorbing alloys for nickel–metal hydride secondary batteries 179
M. Tadokoro, M. Nogami, Y. Chikano, M. Kimoto, T. Ise, K. Nishio and N. Furukawa (Osaka, Japan)

Metal hydride thin film electrodes prepared by r.f. sputtering. 182
T. Sakai, H. Yoshinaga, H. Miyamura, N. Kuriyama, H. Ishikawa and I. Uehara (Osaka, Japan)

Electrical resistivity anomaly and specific heat in gadolinium–hydrogen solid solution 185
H. Yayama and A. Tomokiyo (Fukuoka, Japan)

Hydrogen diffusion in amorphous $LaNi_2H_x$ thin films 188
H. Miyamura, N. Kuriyama, T. Sakai, K. Oguro, I. Uehara and H. Ishikawa (Osaka, Japan)

Symposium K: The Kagan Symposium

Divalent lanthanides in organic chemistry 191
H. B. Kagan, J. Collin, J. L. Namy, C. Bied, F. Dallemer and A. Lebrun (Orsay, France)

Samarium-mediated acyclic stereoselection in a radical reaction 197
J. Inanaga, O. Ujikawa (Okazaki, Japan), Y. Handa, K. Otsubo and M. Yamaguchi (Fukuoka, Japan)

New synthetic reactions by means of rare earth reagents 200
Y. Fujiwara, K. Takaki and Y. Taniguchi (Higashi-Hiroshima, Japan)

Achieving new lanthanide chemistry within the tetracyclopentadienyl cavity formed by two $(C_5Me_5)_2Ln$ moieties. . . . 205
W. J. Evans (Irvine, CA, USA)

New chiral lanthanide complexes with optically pure ethanediylbis(*t*-butylphenylphosphine oxide) 211
Y. Koide, A. Sakamoto, T. Imamoto, T. Tanase and Y. Yamamoto (Chiba, Japan)

Symposium F: The Kasuya Symposium

Exchange interaction in f electron systems: low carrier magnetic systems 217
T. Kasuya (Sendai, Japan)

Sources of anisotropy in rare earth and actinide exchange interactions 223
B. R. Cooper, Q. G. Sheng and S. P. Lim (Morgantown, WV, USA)

Fundamental physical properties of low carrier systems in Ce and Yb monopnictides. 231
T. Suzuki (Sendai, Japan)

Valence instability of heavy fermion compound $CeCu_6$ under high pressure 236
G. Oomi, T. Kagayama (Kumamoto, Japan), H. Takahashi, N. Môri (Tokyo, Japan), Y. Ônuki (Ibaraki, Japan) and T. Komatsubara (Sendai, Japan)

The thermal expansion and electrical resistivity of the pseudobinary compound $Ce_{1-x}La_xAl_3$ 239
T. Kagayama, K. Munakata and G. Oomi (Kumamoto, Japan)

Thermal expansion coefficients of mixed valence compound $Ce_{1-x}La_xNi$ single crystals 242
Y. Uwatoko, H. Okita, G. Oomi (Kumamoto, Japan) and J. Sakurai (Toyama, Japan)

Concentrated Kondo effects in Pd–Ce ordering alloys 245
M. Itakura, N. Kuwano and K. Oki (Fukuoka, Japan)

Comparative study of heavy fermion behavior in amorphous $CeCu_6$ and $LaCu_6$ alloys 248
K. Sumiyama, H. Amano, H. Yamauchi and K. Suzuki (Sendai, Japan)

Non-equilibrium f.c.c. phase and valence fluctuation in immiscible Yb–Ce alloy produced by mechanical alloying. 251
E. Ivanov, K. Sumiyama, H. Yamauchi and K. Suzuki (Sendai, Japan)

Magnetic properties of Sm pnictides with anti-Th_3P_4 structure 253
A. Ochiai (Ibaraki, Japan), T. Suzuki and T. Kasuya (Sendai, Japan)

Symposium B: The Choppin Symposium

A half-century of lanthanide aminopolycarboxylates. 256
G. R. Choppin (Tallahassee, FL, USA)

Inner and outer sphere complexation between Eu(III) and the haloacetates 262
H. B. Silber and R. L. Campbell (San Jose, CA, USA)

Lanthanide and uranyl solvation in anhydrous acetonitrile 266
J.-C. G. Bünzli (Lausanne, Switzerland)

Irregularities in complex formation and thermodynamic properties of aqueous rare earth electrolyte solutions 271
H. Kanno (Kanagawa, Japan)

Complexes of lanthanide trifluoroacetates with pyridine-*N*-oxide (pyO): synthesis and properties 274
L. B. Zinner and W. Carvalho Melo (São Paulo, Brazil)

Complexes of lanthanide picrates with 2-picoline-*N*-oxide (1-PicNO) 277
G. Vicentini and F. J. S. Lima (São Paulo, Brazil)

Synthesis and electrochemistry of double-decker lanthanoid(III) phthalocyanine complexes 280
A. Iwase, C. Harnoode and Y. Kameda (Yamagata, Japan)

High photoreduction yield of Eu^{3+} to Eu^{2+} in alcoholic solutions and its wavelength dependence 284
M. Kusaba, N. Nakashima (Osaka, Japan), W. Kawamura (Hyogo, Japan), Y. Izawa and C. Yamanaka (Osaka, Japan)

Standard heats of solution of yttrium and rare earth metal nitrate hydrates in water 287
H. Miyamoto and Y. Masuda (Niigata, Japan)

Mean molal activity coefficients of aqueous rare earth bromide solutions at 25 °C 290
K. Fukushi, A. Mutoh, K. Ishikawa and Y. Suzuki (Kawasaki, Japan)

Effect of temperature on the structure of hydrated lanthanide(III) ions in crystals and in solution 293
T. Kurisaki, T. Yamaguchi and H. Wakita (Fukuoka, Japan)

Synthesis and characterization of water-soluble rare earth porphyrins: $Ce(tpyp)_2$ and $Ce(tmpyp)_2$ 296
J. Jiang, K.-I. Machida and G.-Y. Adachi (Osaka, Japan)

Complexation of lanthanoids(III) with aromatic carboxylic and α-hydroxycarboxylic acids in aqueous solution and chloroform 300
Y. Hasegawa, A. Ishimori and M. Tanaka (Tokyo, Japan)

Magnetic susceptibilities of lanthanide(III)–CMPO complexes and lanthanide(III) oxalate complexes 303
T. Nakamura, T. Yoshimura, A. Nakatani and C. Miyake (Osaka, Japan)

On the coordination of NO_3^- ions to rare earth ions in $Ln(NO_3)_3{}^-H_2O$–alcohol systems 306
H. Kanno and K. Yamada (Kanagawa, Japan)

Author Index 309

Subject Index 311